



CAMEO PRO MK-II

Product description

Product Planning

2024/8/30

CAMEO PRO MK II



Key

Accuracy

With improved machine stability, the CAMEO PRO MK-II offers cutting accuracy that satisfies everyone from hobbyists to business users.

Productivity

The 24" size and new features make it more productive. It is now even more suitable for business users.

Operability

A wider range of materials and tools are now available to create a wider variety of projects. Expand your creative possibilities.

Versatility

Users can choose from a wide range of media and tools. Expand users' creative possibilities.




Accuracy

Updated Chassis

Cutting accuracy has been improved due to Silhouette New Architecture. Updated chassis for improved carriage stability and more accurate cutting. New belt drive minimizes deviation and vibration.

Supreme Cutting Proficiency

CAMEO PRO MK-II introduces the highest cutting force. **The force of Tool Holder 1 is capable of 300gf. This is an improvement of approximately 143% over the previous model.**



Accuracy

Adaptive Sensor

The CAMEO PRO MK-II can adjust the sensitivity of the scanning sensor depending on the material surface. This increases the ability to properly scan registration marks successfully regardless of the material type. Registration marks on materials with a lustrous surface, such as metallic, shiny, or glittery, can now be scanned by the CAMEO PRO MK-II.

Four-point registration mark

Four registration marks are now supported. Correction in the vertical and horizontal directions is now possible, so that even if a design is distorted in printing, the distortion can be corrected, and the design can be cut.



Productivity

Unrivaled Speed

The maximum speed is now 400mm/s. This is an improvement of approximately 133% over previous models. The larger the material, the more effective.

Dual Cross Cut

Both auto crosscut and manual cut are provided. You can cut straight through the material at any desired position and immediately move on to the next project.

Repeat Job

Repeat a previous job at the touch of a button on the machine. When a repeat job is enabled, the load button flashes. If you press and hold this button for more than 3 seconds, the same cuts as before will be made.



Operability

Improved visibility

Pinch rollers have been modified to improve visibility. The position of the material and roller is now easier to see, making it easier to accurately set the material.

Support roller

There are now five support rollers instead of the previous two. Material can be conveyed more consistently.

Emergency Stop

It will now be possible to immediately stop a cut job if a major problem arises without losing power to the machine or having to disconnect it.



versatility

More Material Sizes

New material sizes or materials that are slightly larger or smaller than standard sizes can now be accommodated. The support rollers can be removed so that materials from 5" to 24" can be set without mounts.

Power Carriage

The Power Carriage of the CAMEO PRO MK-II opens up new creative possibilities by powering specialty tools. The addition of cutting-edge tools like the Heat Pen, Embossing Tool, and Pen Holder enables an exponential increase in the range of projects that can be created.

Quiet Operation

With an ultra-quiet operating noise, users can use the machine at any time and place.
















CAMEO PRO MK II

CAMEO PRO MK-II is a high-end model craft cutter. It can handle materials from 5" to 12", allowing the user to create a wide range of projects.

MSRP : \$499.99

Color Options : Matte Black

Machine Specs :

						
24-inch Cutting Width	Use Material From	Electrostatic Mat compatible	Dual Tool Holder	Silhouette New Architecture	Power Tool Options	
						
Bluetooth® Connectivity	IPT™ Technology	Silhouette Studio® software	Silhouette Go™ compatible	Print & Cut™ compatible	PixScan™ compatible	Silhouette Design Store compatible









24"

Compatible Items List (Blade /

Blade/Tool	Item Name	Item Number	CH	Uses	Current / New
	Auto Blade (Type B)	SILH-BLADE-AUTO-2	1	Cut: paper, cardstock, vinyl	Current
	Manual Blade(1mm)	SILH-BLADE-1MM	1	Cut: paper, cardstock, vinyl	Current
	Manual Blade(2mm)	SILH-BLADE-2MM	1	Cut: 2mm foam, thick & soft material	Current
	2mm Kraft Blade	SILH-BLADE-KRAFT-B	1	Cut: thicker fabrics & materials	Current
	3mm Kraft Blade	SILH-BLADE-KRAFT-2	2	Cut: thicker fabrics & materials	Current
	Pen Holder	PEN-HOLDER-C4	1	Sketch: pens, pencils, markers	Current

Compatible Items List (Blade /

Blade/Tool	Item Name	Item Number	CH	Uses	Current / New
	Rotary Blade	SILH-BLADE-ROTARY	2	Cut: thin fabric, felt, wool, crepe paper	Current
	Punch Tool	SILH-PUNCH-TOOL	2	Punch holes in vinyl for easier weeding	Current
	Heat Pen Set	SILH-HEAT-PEN	2	Foil Stamp: cardstock, faux leather	Current
	Embossing Tool (Type C)	SILH-TOOL-EMB-SET	2	Emboss: paper, cardstock	Current
	Pen Holder (Type C)	PEN-HOLDER-CMB2-B	2	Sketch: pens, pencils, markers	Current
	Heat Pen Super-Fine	SILH-HEAT-PEN-SF	2	Foil Stamp: cardstock,	New

Compatible Items List

Item Name	Item Number	Current / New
Portrait Cutting Mat - Light Tack	CUT-MAT-8LT	Current
Portrait Cutting Mat - Standard Tack	CUT-MAT-8-3T-C	Current
Portrait Cutting Mat - Strong Tack	CUT-MAT-8ST	Current
Portrait Cutting Mat - PixScan	CUT-MAT-PIX8-3T	Current
8.5 in. Portrait Cutting Mat - Standard Tack	CUT-MAT-LTR-3T	Current
Cameo Cutting Mat - Light Tack	CUT-MAT-12LT	Current
Cameo Cutting Mat - Standard Tack	CUT-MAT-12-3T-C	Current
Cameo Cutting Mat - 12 x 24 - Standard Tack	CUT-MAT-24	Current

Compatible Items List

Item Name	Item Number	Current / New
Cameo Cutting Mat - Strong Tack	CUT-MAT-12ST CUT-MAT-12ST-C	Current
Cameo Cutting Mat - PixScan	CUT-MAT-PIX12-3T	Current
Embossing Mat - 12 in. x 12 in.	SILH-MAT-EMB-12	Current
Cameo Plus Cutting Mat - Light Tack	CUT-MAT-15LT	Current
Cameo Plus Cutting Mat - Standard Tack	CUT-MAT-15	Current
Cameo Plus Cutting Mat - Strong tack	CUT-MAT-15ST	Current

Compatible Items List

Item Name	Item Number	Current / New
Cameo Pro Cutting Mat - Light tack	CUT-MAT-24X24LT	Current
Cameo Pro Cutting Mat - Standard tack	CUT-MAT-24X24	Current
Cameo Pro Cutting Mat - Strong tack	CUT-MAT-24X24ST	Current
Cameo Cutting Mat - 12 x 24 - Standard Tack	CUT-MAT-24	Current

CAMEO5 Compatible Items List

Item Name	Item Number	Current / New
Auto Sheet Feeder	SHEET-FEEDER-LETTER	Current
Auto Sheet Feeder - A3 Plus	SHEET-FEEDER-A3PLUS	Current
Cutting Strip (Cameo 4)	CUT-STRP-CAM4	Current

CAMEO PRO MK-II Standard

Silhouette CAMEO® PRO MK-II

AC adapter DC24V 1.25A

AC Cord

Auto Blade2

Adjustment Tool

Roll Feeder

Pen Adapter

Cutting Mat (size:24 x 24 inch)

Safety Sheet

CAMEO PRO MK-II

Maximum Cutting Length	16ft(4876.8mm)
Guaranteed Operating Area	23.2"×24"/590mm×610mm cm with a cutting mat 23.6"×192"/600mm×4876.8mmwith lined material
Maximum Material Thickness	3 mm
Maximum Cutting Speed	300 mm/s
Maximum Cutting Force Tool Holder 1	300 gf
Maximum Cutting Force Tool Holder 2	not specified
Mechanical Resolution	0.00625 mm
Programmable Resolution	0.05 mm
Registration Mark Reading	yes
Number of Plunger Mountable	2
Automatic Adjust for Blades	yes
Interfaces	USB2.0(FULL-speed)/Bluetooth
Rated Power Supply	AC adapter 24 VDC(1.25A)
Power Consumption	27 W
Working Environment	10 to 35 deg.C,35 to 75% R.H.(non-condensing)
Guaranteed Operating Environment	16 to 32 deg.C,35 to70% R.H.(non-condensing)
Unit Dimensions (W x D x H)	34.49 x 7.68 x6.69 inch/876 x 195.0 x 170.0 mm
Unit Weight	19.84 lbs./9.0 kg
Corresponding Operating System	Windows 10 or higher/Mac OS 10.10 and higher

CAMEO PRO MK-II Packing

Shipping Dimensions (W x D x H)	24.8 x 10.75 x 9.45 inch 997 x 296 x 250 mm
Shipping Weight	26.2 lbs 12 kg
Stacking	6
Pallet Dimensions (W x D x H)	40.16 x 48.82 x 67.52 inch 1020 x 1240 x 1715 mm
Pallet Weight	696.92 lbs. 316.12 kg
QTY for a 40 Feet Container	480
QTY for a 20 Feet Container	216

CAMEO PRO MK-II Safety Standards &

Safety Standard	UL/cUL	UL 62368-1 CSA C22.2 No. 62368-1
	CE	EN 62368-1:2014
	INDIA	IS 13252 (Part 1):2010/IEC60950-1: 2005
	JAPAN	—
EMC	North America	FCC Class : B
		IC Class : B
	Europe	EN Class : B
	Asia	KC Class : B
	Japan	VCCI Class : B



Stand

Product description

Key

Basket

The basket catches long materials and keeps them from sticking to the floor.

Antistatic

The basket cover is made of anti-static material. The vinyl and basket will not generate static electricity when rubbed together, so there is no need to worry about them sticking together during use.

Caster

The Silhouette stand has casters. You can easily move it anywhere you like.

Stability

The CAMEO PRO MK-II and the stand can be fixed with screws. Fixing the stand to the CAMEO PRO MK-II allows for more stable use.



Key

Easy assembly

The stand is packaged disassembled, but anyone can easily assemble it by following the instructions.

Compatible with mats

The back of the Silhouette stand has a support bar; a roll feeder, a standard accessory for the CAMEO PRO MK-II, can also be attached to the front of the stand. The support bar and roll feeder allow precise cutting of non-roll materials even on the stand.

Can be used on other machines.

The Silhouette Stand is compatible with CAMEO4 and later grit roller machines. It can also support users who cut long lengths on machines other than 24".

*Machines other than CAMEO PRO MK-II cannot be screwed to the stand



Silhouette Stand

The Silhouette Stand supports long cuts and helps maximize the functionality of the CAMEO MK-II. Long cuts can be made in a small space by catching material in the basket.

MSRP : \$299.99

SILH-STAND

UPC Code : 810169380079
EAN Code : 0810169380079

Compatible with : CAMEO PRO MK-II

What's included:

Silhouette Stand
Tool Set (1 Hexagonal Wrench, 2 Screws, 20 Screws for Stand)
Manual



Color : Matte Black

Silhouette Stand Packing

Shipping Dimensions (W x D x H)	35.43 x 29.33 x 11.8 inch 900 x 745 x 300mm (TBD)
Shipping Weight	55.12 lbs 25 kg (TBD)
Stacking	2
Pallet Dimensions (W x D x H)	40.16 x 48.82 x 75.8inch 1020 x 1240 x 1925mm (TBD)
Pallet Weight	375.34 lbs 170.25 kg(TBD)
QTY for a 40 Feet Container	120
QTY for a 20 Feet Container	54

UPC/EAN/HTS

Item number	Item Name	UPC	EAN	HTS
SILH-CAMEO-PRO-2-5T	Silhouette CAMEO PRO MK-II	814792017739	0814792017739	8441.10.0000
SILH-CAMEO-PRO-2-4T		814792018033	0814792018033	8441.10.0000
SILH-CAMEO-PRO-2-4T-L		814792018163	0814792018163	8441.10.0000
SILH-CAMEO-PRO-2-A		814792018170	0814792018170	8441.10.0000
SILH-CAMEO-PRO-2-K		814792018255	0814792018255	8441.10.0000
SILH-CAMEO-PRO-2-J		814792018262	0814792018262	8441.10.0000
SILH-STAND	Silhouette Stand	810169380079	0810169380079	8441.90.0000