



SF-65WF50-4K

WINDOW FACING DISPLAY



Window facing displays are screens specifically designed for use in environments with a lot of ambient light. They are optimized to display advertising, informational or entertainment content clearly and visibly, even in conditions of direct or intense sunlight.


Key features of window facing displays:

- High brightness: higher levels than the standard monitors.
- Anti-reflective technology: coatings minimize sun glare and reduce reflections.
- Image quality: with a high resolution and contrast, ensure the content is engaging and effective.
- Operation hours: 24/7 use panel to extend the life of the monitor even in uninterrupted use.

SPECIFITACIONES

| | | |
|---------------------------|---------------------|---------------------------------------|
| Display | Size | 65" |
| | Resolution | 3840x2160 |
| | Brightness | 5000 nits |
| | Contrast ratio | 1200:1 |
| | View angle (H / V) | 178° / 178° |
| Hardware | Dimensions | 1468.6mm (W) x 843.6mm (H) x 85mm (D) |
| | Weight | 40 Kg |
| | Bizel | 18mm |
| | Speaker | 2 x 5 W |
| | VESA | 400mm x 400mm |
| Packing | Dimmensions | 1580mm (W) x 980mm (H) x 220mm (D) |
| | Weight | 44 Kg |
| Maximum power consumption | | 620 W |
| Mainboard | OS | Android 12 |
| | RAM | 2 Gb |
| | Storage | 32 Gb |
| | Wi-Fi | 2.4 GHz |
| | Ports | HDMI 2.0 |
| | | RJ45 |
| | | Earphone |
| | | USB 3.0 |
| | | USB 2.0 |
| Others | Display mode | Horizontal / Vertical |
| | Working time | 24/7 |
| | Working temperature | 0°C - 40°C |
| | Working humedity | 10% - 85% |

DIMENSIONS



FLOOR BRACKET (OPTIONAL)

HANGING BRACKET (OPTIONAL)



SF-65WF-FB



SF-65WF-HB

Floor and hanging brackets are sold separately