




>> Type of use (*)

Thanks to its technical features, this glove is particularly suitable for all heavy works requiring good strength as well as good resistances in oily and / or fatty environments: automobile assembly, automobile repair, construction, public works, metal works, raw material handling, sharp handling sheets, household refuse collection, handling abrasive materials, deep sea fishing, maintenance of public parks...

>> General features

- ✓ **Construction, materials:** cut and sewn pattern.
100% brushed cotton liner. Heavy nitrile coating.
Fully coated version. Safety cotton cuff. **With Actifresh®.**
- ✓ **Colour:** natural colour liner / blue coating.
- ✓ **Sizes:** 9, 10.
- ✓ **Packing:** - Cartons of 100 pairs.
- Bundles of 10 pairs. 

Learn more: www.singer.fr

>> Advantages

- ✓ The guarantee and benefits of an **ISO 9001** certified manufacturing: quality of products, regularity...
- ✓ Brushed cotton liner: brings the comfort of a natural material which facilitates the absorption of perspiration.
- ✓ The heavy coating provides an excellent resistance for demanding works and for jobs needing extra protection.
- ✓ Fully coated for a complete protection of the hand.
- ✓ Anti-bacterial effect of the Actifresh® treatment deprives bacteria from developing and growing.
The **Actifresh®** treatment is effective against bacteria, fungi, rust, stains and algae in preventing these micro-organisms from developing. It promotes a longer life and avoids the creation of bad odours.
- ✓ Safety cuff for an easy slip-off of the glove in case of emergency.

**Heavy
work in a
damp
environment**

>> Conformity

This glove has been tested as per:

- **EN 420 : 2003 +A1 : 2009.** Protective gloves - General requirements and test methods.
- **EN 388 : 2016.** Protective gloves against mechanical risks.

It complies with European **Regulation (EU) 2016/425** on Personal Protective Equipment (PPE). **Category II.**

EU type-examination certification issued by **SATRA (Ireland)**. Notified body n°2777.

Download the EU declaration of conformity on: <http://docs.singer.fr>



EN 388: 2016. Protective gloves against mechanical risks							
Mechanical data. Information about levels.	Level 1	Level 2	Level 3	Niveau 4	Level 5	Levels ▼	
Abrasion resistance (number of cycles)	100	500	2000	8000	-	4	
Blade cut resistance (index)	1,2	2,5	5,0	10,0	20,0	1	
Tear resistance (in Newtons)	10	25	50	75	-	2	
Perforation resistance (in Newtons)	20	60	100	150	-	1	
Cut resistance (N) (as per EN ISO13997) (TDM test)	Level A	Level B	Level C	Level D	Level E	Level F	Level
	2	5	10	15	22	30	B

EN 388 : 2016



4 1 2 1 B

«X» means that the glove has not been submitted to the test.

Your distributor **SINGER® SAFETY**

SINGER®
safety